

INDEX MAPS.

T. 21N, R. 7 E. 2nd Mer.

	137		137		137		137		136		136	
139	6	158	5	153	4	150	3	146	2	143	1	136
	158		157		153		149		146		143	
139	7	157	8	153	9	149	10	146	11	142	12	135
	157		156		152		149		146		142	
139	18	156	17	152	16	149	15	145	14	142	13	135
	156		155		152		148		145		141	
138	19	155	20	151	21	148	22	145	23	141	24	135
	155		155		151		148		144		141	
138	30	154	29	151	28	147	27	144	26	140	25	134
	154		154		150		147		144		140	
138	31	153	32	150	33	147	34	143	35	140	36	134
	134		134		133		133		133		133	

T. 22N, R. 7 E. 2nd Mer.

					164	164	164					
	6	5	4	3	172	2	168	1 163				
					172	172	168					
	7	8	9	10	172	11	167	12 163				
					171	171	167					
	18	17	16	15	171	14	167	13 163				
					170	170	166					
	19	20	21	22	170	23	166	24 163				
					169	169	166					
	30	29	28	27	169	26	166	25 162				
		175		173								
		175	174	174	173	168	165					
165	31	174	32	174	33	173	34	168	35	165	36	162
	162	162	161	161	161	161	161					

The figures on the lines refer to the page.

Township Lines.

Ch. 1st. South Boundary.

Bearings for corner of T. 20 & 21 N, R. 7 & 8 E.

a Beech 10 in. dia. bears N 76 E 10 Ws. dist. 8

a Sugar 18 " " " N 35 W 20 " "

West on the S. Boundary of Sec. 30,

40.00 set q. sec. post from which

a W. Oak 6 in. dia. bears N 50 W 6 Ws. dist. 8

a Hickory 7 " " " N 02 E 10 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 20 E 6 Ws. dist. 8

a Do 18 " " " S 29 E 27 " "

West on the S. Boundary of Sec. 35

40.00 set q. sec. post from which

an Ark 18 in. dia. bears S 5 E 3 Ws. dist. 8

a Do 12 " " " N 04 E 16 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 34 in. dia. bears N 51 E 24 Ws. dist. 8

a Do 30 " " " S 47 E 18 " "

West on the S. Boundary of Sec. 34

40.00 set q. sec. post from which

a Beech 12 in. dia. bears S 21 E 12 Ws. dist. 8

a Do 18 " " " N 16 W 30 " "

80.00 set post cor. of sec. 33 & 34 from which

a W. Oak 30 in. dia. bears S 70 W 6 Ws. dist. 8

a Beech 20 " " " N 0 W 46 " "

West on the S. Boundary of Sec. 33

40.00 set q. sec. post from which

a Pin Oak 14 in. dia. bears S 25 W 17 Ws. dist. 8

a Do 36 " " " S 45 E 24 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 24 in. dia. bears North 3 Ws. dist. 8

an Ark 10 " " " S 85 E 21 " "

T. 21 N., R. 7 E., S. 2 Mer. Ind.^a
Chs. 10.

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which

a Hickory 18 in. dia. bears South 7 Ws. dist. 8

a Beech 16 " " " N 47 W 35 " "

80.00 set post cor. of sec. 31 & 32 from which

an Ash 18 in. dia. bears S 50 E 12 Ws. dist. 8

a Beech 9 " " " N 52 W 27 " "

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Hornbeam 6 in. dia. bears N 41 1/2 W 6 Ws. dist. 8

an Elm 6 " " " N 73 E 9 " "

81.50 Intersect W. Boundary 13.50 Chs. South of post -
set post at intersection cor. of T. 20 & 21 N., R. 6 & 7 E.
from which

a Buckeye 12 in. dia. bears N 51 E 24 Ws. dist. 8

a Beech 14 " " " S 61 W 23 " "

(Description of land omitted throughout)

East Boundary. Var. E. 15. E.

North on the E. Boundary of Sec. 36

15.50 an Ash 24 in. dia.

40.00 set of sec. post from which

an Elm 14 in. dia. bears N 64 W 26 Ws. dist. 8

an Ash 9 " " " S 38 E 10 " "

70.37 a Maple 36 " "

80.00 set post cor. of sec. 25 & 36 from which

a Sugar 30 in. dia. bears N 16 E 11 Ws. dist. 8

a Poplar 48 " " " S 72 W 21 " "

Land 2^d rate, Timber Beech & Sugar. Spice &

North on the E. Boundary of Sec. 25

9.76 an Ash 36 in. dia.

40.00 set of sec. post from which

a R. Oak 20 in. dia. bears N 4 E 4 Ws. dist. 8

a Beech 9 " " " S 74 W 11 " "

T. D. V. R. & E. L. Miller, Ind.^a
Chas. L. R.

50.20 a Poplar 20 in. dia. January 1. 1820
80.00 set part cor. of sec. 24 & 25 from which
an Ash 12 in. dia. bears N 70° W 17 W. dist. 2,
a Sugar 4 " " " S 60° W 11 " "
Rich land. Timber Walnut, Beech, Sugar &
Wp. Spice

North on the E. Boundary of Sec. 24

2.00 a Creek 20 Ws. wide course SW
9.00 a Branch 5 " " " SW
32.30 a Beech 30 in. dia.
40.00 set gr. sec. part from which
a Cherry 18 in. dia. bears N 57° W 17 W. dist. 3
an Elm 8 " " " S 50° E 18 " "
60.00 a Spring branch 4 Ws. wide course SW
63.50 a Creek 50 Ws. wide course SW
68.40 a Beech 20 in. dia.
80.00 set part cor. of sec. 13 & 24 from which
a Beech 12 in. dia. bears N 31° W 32 W. dist. 3
a Do 14 " " " S 31° E 3 " "
Land &c. same as last described.

North on the E. Boundary of Sec. 13

11.05 a Sugar 24 in. dia.
40.00 set gr. sec. part from which
a Beech 20 in. dia. bears South 4 Ws. dist. 3
a Do 8 " " " N 15° E 10 " "
46.70 a W. Oak 60 " "
80.00 set part cor. of sec. 12 & 13 from which
a Beech 13 in. dia. bears North 26 Ws. dist. 3
a Do 15 " " " S 37° E 22 " "
Land &c. same as last described.

North on the E. Boundary of Sec. 12

11.23 an Ash 20 in. dia.
17.50 a Branch 6 Ws. wide runs SW

T. 21 N., R. 7 E. 2. Mer. Ind.^a
 Ch. & M.

40.00 set of sec. part from which
 a Sugar 12 in. dia. bears N 25° W 12 Ws. dist. 8
 a Do 18 " " " S 68° E 20 " "

00.00 a W. Oak 42 " "

80.00 set part cor. of sec. 1 & 12 from which
 a Beech 15 in. dia. bears N 55° W 9 Ws. dist. 8
 a Do 9 " " " S 48° E 13 " "
 Land & same as last described

North on the E. Boundary of Sec. 1

33.48 an Ash 30 in. dia.

40.00 set of sec. part from which
 a Beech 20 in. dia. bears East 25 Ws. dist. 9
 a Do 10 " " " S 61° W 8 " "

03.00 an Elm 18 " "

78.50 to part cor. of T. 21 & 22 N., R. 7 & 8 E from which
 an Ash 12 in. dia. bears S 49° E 23 Ws. dist. 8
 a Beech 12 " " " N 25° E 43 " "
 (Description of land & omitted)
 January 2. 1820

North Boundary. Var. 6. 15 E.

West on the S. Boundary of Sec. 36, T. 22 N., R. 7 E.

40.00 set of sec. part from which
 a Beech 12 in. dia. bears N 3° E 12 Ws. dist. 8
 a Do 8 " " " South 11 " "

80.00 set part cor. of sec. 35 & 36 from which
 an Ash 12 in. dia. bears N 80° W 13 Ws. dist. 8
 a Beech 10 " " " N 8° W 19 " "
 Rich land. Timber Beech, Sugar, Ash & 7
 Ws. Spruce

West on the S. Boundary of Sec. 35, T. 22 N., R. 7 E.

40.00 set of sec. part from which
 a W. Oak 24 in. dia. bears S 56° E 9 Ws. dist. 8
 a Beech 8 " " " N 69° W 15 " "

T. 21 N., R. 7 E., S. 2 Mer. Ind.
Chas. L. M.

80.00 set post cor. of sec. 34 & 35 from which
a Beech 24 in. dia. bears S 25 W 16 Ws. dist. 8
a Do 24 " " " N 35 E 6 " "
Land &c. as last described.

West on the S. Boundary of Sec. 34, T 22 N, R 7 E

40.00 set of sec. post from which
a R. Oak 18 in. dia. bears S 47 E 7 Ws. dist. 8
a Beech 8 " " " N 47 W 7 " "

80.00 set post cor. of sec. 33 & 34 from which
a Beech 8 in. dia. bears N 73 W 6 Ws. dist. 8
a Do 8 " " " N 60 E 15 " "
Land &c. same as last described.

West on the S. Boundary of Sec. 33, T 22 N, R 7 E

40.00 set of sec. post from which
an Ash 12 in. dia. bears S 86 W 14 Ws. dist. 8
a Beech 10 " " " S 58 E 9 " "

80.00 set post cor. of sec. 32 & 33 from which
an Elm 10 in. dia. bears S 43 W 6 Ws. dist. 8
an Ash 12 " " " N 15 E 13 " "
Land &c. same as last described.

West on the S. Boundary of Sec. 32, T 22 N, R 7 E

40.00 set of sec. post from which
a Hickory 18 in. dia. bears South 10 Ws. dist. 8
a Beech 8 " " " N 76 E 22 " "

80.00 set post cor. of sec. 31 & 32 from which
a Hickory 10 in. dia. bears N 76 E 8 Ws. dist. 8
an Ash 10 " " " S 36 W 9 " "
Land &c. same as last described

West on the S. Boundary of Sec. 31, T 22 N, R 7 E

40.00 set of sec. post from which
a Hickory 30 in. dia. bears N 36 W 7 Ws. dist. 8
a Beech 12 " " " S 37 W 25 " "

T. 21 N., R. 7 E., S. 2^d Mer. Ind.^a
 Chs. 2^d

78.00 Intersect W. Boundary 150 Ws. S. of temp. post-
 set post at intersection cor. of T. 21 & 22 N., R. 6 &
 7 E. from which
 a W. Oak 10 in. dia. bears S 27° E 5 Ws. dist. &
 an Ash 10 " " " N 48° W 15 " "
 (Description of land &c omitted)

West Boundary. Var. 5.50' E.

North on the E. Boundary of Sec. 30, T. 21 N., R. 6 E

18.10 a ~~creek~~ 75 Ws. wide course a Hackberry 24 in. dia.

20.00 a creek 75 Ws. wide course SW

40.00 set gr. sec. post from which

a Beech 18 in. dia. bears North 5 Ws. dist. &

a Sugar 30 " " " S 13° W 42 " "

60.00 a Beech 24 " "

80.00 set post cor. of sec. 25 & 30 from which

an Elm 14 in. dia. bears N 35° W 13 Ws. dist. &

a Do 10 " " " N 12° E 18 " "

Rich land. Timber Ash, Buckeye, Walnut,
 Sugar. Uls. Spice

North on the E. Boundary of Sec. 25, T. 21 N., R. 6 E

32.07 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a R. Oak 10 in. dia. bears N 21° W 11 Ws. dist. &

an Ironwood 8 " " " S 1° E 9 " "

67.38 a Poplar 42 " "

78.58 a Brook 15 Ws. wide course SW

80.00 set post cor. of sec. 24 & 25 from which

a Hickory 9 in. dia. bears N 28° W 15 Ws. dist. &

a Lynn 10 " " " S 67° E 10 " "

Land &c as last described. January 3. 1820

North on the E. Boundary of Sec. 24, T. 21 N., R. 6 E

16.20 an Ash 24 in. dia.

40.00 set gr. sec. post from which

T. 21 N., R. 7 E. 2. Mer. Ind.?
Ch. Lk.

a Hornbeam 8 in. dia. bears S 80° W 4 1/2 M., dist. 8

a Beech 20 " " " S 37° E 27 " "

61.70 a Beech 18 " "

80.00 set post cor. of sec. 13 & 24 from which

an Elm 10 in. dia. bears S 79° E 14 M., dist. 8

a Do 10 " " " N 88° W 14 " "

Land &c same as last described.

North on the E. Boundary of Sec. 13, T. 21 N., R. 6 E

19.30 a Bur Oak 42 in. dia.

40.00 set q. sec. post from which

an Ash 12 in. dia. bears N 47° E 3 M., dist. 8

a Do 9 " " " S 46° E 10 " "

80.00 set post cor. of sec. 12 & 13 from which

a Coffeenut 10 in. dia. bears S 18° W 9 M., dist. 8

a Hickory 12 " " " S 63° E 31 " "

Land &c same as last described.

North on the E. Boundary of Sec. 12, T. 21 N., R. 6 E

17.00 an Elm 24 in. dia.

40.00 set q. sec. post from which

a Beech 12 in. dia. bears N 63° W 4 M., dist. 8

a Do 9 " " " S 52° W 3 " "

62.00 a Sugar 20 " "

80.00 set post cor. of sec. 1 & 12 from which

a Beech 18 in. dia. bears N 58° W 12 M., dist. 8

an Ash 15 " " " S 78° E 14 " "

Land &c same as last described.

North on the E. Boundary of Sec. 1, T. 21 N., R. 6 E

23.65 a Beech 36 in. dia.

40.00 set q. sec. post from which

a W. Oak 12 in. dia. bears N 34° E 14 M., dist. 8

an Elm 20 " " " S 10° E 18 " "

51.90 an Ash 20 " "

80.00 set ^{temp.} post cor. of P. 21 & 22 N., R. 6 & 7 E. from which

T. 21 N., R. 7 E., S. 1 Mer. Ind.^a

Exp. Exp.

(Description of land &c. omitted)
John M. Donald.

Subdivision. Var. 6. 15. E.

North between Sec. 35 & 36

18.50 an Ark 20 in. dia.

40.00 set of sec. post from which

a Mulberry 15 in. dia. bears S 18° W 10 W. dist. 3

a Blue Ark 14 " " " S 40° E 17 " "

63.00 a Beech 6 " "

80.00 set post on. of sec. 25, 26, 35 & 36 from which

an Ark 10 in. dia. bears N 35° W 8 W. dist. 3

a Sap. Ark 10 " " " S 65° E 6 " "

Land level & wet. Timber Elm & Ark. Spice

East on Random between Sec. 25 & 36

40.00 set temp. of sec. post

80.00 Intersect E. Boundary 100 W. S. of post

Land level 2nd rate. Timber Beech, Ark, Sugar
Wys. Spice

West Connected between Sec. 25 & 36

40.00 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 40° W 18 W. dist. 3

a Sugar 20 " " " N 30° W 25 " "

80.00 to sec. cor.

North between Sec. 25 & 26

20.00 an Elm 14 in. dia.

40.00 set of sec. post from which

a Sycamore 20 in. dia. bears N 20° W 14 W. dist. 3

a Sap. Ark 10 " " " N 55° E 12 " "

45.00 enter Swamp

60.00 an Aspen 10 in. dia.

61.00 leave Swamp

80.00 set post on. of sec. 23, 24, 25 & 26 from which

Chp. 3k? T. 21 N., R. 7 E. 2. Mer. Ind.?

a Bur Oak 24 in. dia. bears N 14 W 40 Ws. dist. 8
a W. Elm 20 " " " N 31 E 50 " "
Land level & wet. Timber Beech, Elm & Oak

East on Random between Sec. 24 & 25

40.00 set temp. of sec. post

79.70 Intersect E. Boundary at post -

Land level 2nd rate. Timber Beech, Ark, Oak

West Connected between Sec. 24 & 25

39.85 set of sec. post at aver. dist. from which

a Hickory 10 in. dia. bears N 25 W 18 Ws. dist. 8

a W. Elm 30 " " " S 15 W 16 " "

79.70 to sec. cor.

North between Sec. 23 & 24

19.50 a Hickory 14 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 62 E 34 Ws. dist. 8

a Do 11 " " " N 55 W 23 " "

59.00 a Beech 12 " "

66.00 a creek 50 Ws. wide course NW

80.00 set post cor. of Sec. 14, 13, 23 & 24 from which

an Ark 30 in. dia. bears S 25 W 50 Ws. dist. 8

a Beech 24 " " " S 30 E 60 " "

Land level 1st rate. Timber Beech, Sugar, Walnut. Uls. Spice

East on Random between Sec. 13 & 24

40.00 set temp. of sec. post

79.56 Intersect E. Boundary 10 Ws. E. of post -

Land rolling 1st rate. Timber Beech, Sugar, Walnut

West Connected between Sec. 13 & 24

39.78 set of sec. post at aver. dist. from which

a Beech 13 in. dia. bears S 40 E 7 Ws. dist. 8

T. G. N., R. 7 E. 2. Mer. Ind. a

Chr. Cr.

a Beech 30 in. dia. bears N55°W38°W. dnt. 3
79.50 to sec. cor.

North between Sec. 13 & 14

20.00 a creek 25 W. wide course SW

21.51 a Lycamore 40 in. dia.

40.00 a creek 50 W. wide course S.E. & set of sec. part from
which a W. Elm 10 in. dia. bears S15°W44°W. dnt. 3

a Do 8 " " " N40°E40 " "

61.50 a Bur Oak 30 " " & a creek 50 W. wide c. SW

80.00 set part cor. of sec. 11, 12, 13 & 14 from which
a Maple 10 in. dia. bears N55°E23°W. dnt. 3

a Boxelder 6 " " " N20°W40 " "

Land level 2^d rate. Timber Beech, Ash, Oak

East in Random between Sec. 12 & 13

40.00 set temp. of sec. part

41.00 a stream 50 W. wide course S.

80.50 Intersect E. Boundary 150 W. S. of part -

Land rolling 2^d rate. Timber Beech, Ash, Oak
W. Spruce

West Corrected between Sec. 12 & 13

40.25 set of sec. part at aver. dnt. from which

a R. Elm 24 in. dia. bears S20°W14°W. dnt. 3

a Beech 15 " " " N18°W31 " "

80.50 to sec. cor.

North between Sec. 11 & 12

20.50 a Haw 6 in. dia. & a Brook 15 W. wide c. S.

30.00 leave Brook, course SW

40.00 set of sec. part from which

a Sugar 20 in. dia. bears S10°E12°W. dnt. 3

a Beech 12 " " " N80°W38 " "

80.00 set part cor. of sec. 1, 2, 11 & 12 from which

a Beech 12 in. dia. bears S50°E35°W. dnt. 3

T. H. N., R. 7 E. 2. Mer. Ind. a

a Beech 13 in. dia. bears S 30 W 20 W. dist.
Land level 2nd rate. Timber Beech, Ash, Oak

East on Random between Sec. 1 & 12

21.00 a Stream 15 W. wide course S.

40.00 set temp. of sec. post

80.50 Intersect E. Boundary — W. — of post —
Land level 2nd rate. Beech, Ash, Oak. Spruce

West Corrected between Sec. 1 & 12

40.25 set of sec. post at aver. dist. from which

a Buckeye 10 in. dia. bears N 47 W 7 W. dist. S

a Beech 12 " " " S 30 W 50 " "

80.50 to sec. cor.

North between Sec. 1 & 2

20.00 a Beech 12 in. dia.

40.00 set of sec. post from which

a Walnut 30 in. dia. bears S 80 W 4 W. dist. S

a Beech 12 " " " N 30 E 20 " "

60.00 a W. Oak 18 " "

80.20 Intersect N. Boundary 8 W. E. of post —

set post at intersection cor. of sec. 1 & 2 from which

a Sugar 18 in. dia. bears S 55 E 45 W. dist. S

a W. Ash 18 " " " S 40 W 60 " "

Land level 2nd rate. Timber Beech, Ash, Oak

North between Sec. 34 & 35

21.50 a Beech 10 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 35 E 25 W. dist. S

a Do 10 " " " N 80 W 23 " "

53.50 a Brook 15 W. wide course W

60.00 a Beech 18 in. dia.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 12 in. dia. bears S 45 E 13 W. dist. S

144

T. 21 N., R. 7 E. 2, Mer. Ind.^a
 Elm. Spr.

an Ironwood 4 in. dia. bears S 60° W 22 Mk. dist.
 Land level 2nd rate. Timber Beech, Ash, Oak

East on Random between Sec. 26 & 35

40.00 set temp. gr. sec. post

81.50 Intersect N. & S. line 20 Mk. N. of post -

Land level 2nd rate. Timber Beech, Ash, Oak

West Corrected between Sec. 26 & 35

40.75 set gr. sec. post at aver. dist. from which
 an Ash 18 in. dia. bears S 40° W 4 Mk. dist. &
 an Elm 6 " " " N 15° W 3 " "

81.50 to sec. cor.

North between Sec. 26 & 27

20.00 an Oak 10 in. dia.

40.00 set gr. sec. post from which
 a Spr. Ash 10 in. dia. bears S 70° W 19 Mk. dist. &
 an Elm 20 " " " S 20° E 12 " "

60.00 a Beech 10 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Beech 20 in. dia. bears S 20° E 23 Mk. dist. &
 a Sugar 13 " " " S 68° W 40 " "
 Land level 2nd rate. Timber Ash, Oak, Hickory
 W. Spr. & Pickley Ash.

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

81.50 Intersect N. & S. line 250 Mk. S. of post -

Land level 2nd rate. Ash, Oak, Hickory

West Corrected between Sec. 23 & 26

40.75 set gr. sec. post at aver. dist. from which
 a Burr Oak 8 in. dia. bears N 35° W 21 Mk. dist. &
 a Spr. Ash 13 " " " S 62° W 50 " "

81.50 to sec. cor.

Complete

T. 21 N., R. 7 E. 2^d Mer. Ind.^a
Ch. 2^d

North between Sec. 22 & 23

20.00 a Beech 10 in. dia.

40.00 set of sec. post from which

a Beech 30 in. dia. bears S 60 E 24 1/2 W. dist. 8

a Spr 24 " " " S 50 W 47 " "

60.00 a Beech 13 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Beech 40 in. dia. bears N 61 E 44 W. dist. 8

a Sugar 30 " " " N 53 W 39 " "

Sand 1st rate rolling. Beech, Ash, Sugar. Sawpaw

East in Random between Sec. 14 & 23

0.50 a Stream 50 Ws. wide course N

20.00 enter same stream " W

40.00 set temp. of sec. post in creek

41.50 leave creek

80.50 Intersect N & S line 48 Ws. N. of post -

Sand level 2^d rate. Timber Beech, Ash, Oak

West Corrected between Sec. 14 & 23

40.25 set of sec. post at aver. dist. from which

a B Walnut 14 in. dia. bears S 10 E 38 W. dist. 8

a W. Ash 23 " " " N 85 W 23 " "

80.50 to sec. cor.

North between Sec. 14 & 15

0.50 a Stream 50 Ws. wide course N. & a Sugar 15 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. bears N 17 E 22 W. dist. 8

a Sugar 15 " " " S 50 W 22 " "

61.50 a Hickory 15 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 24 in. dia. bears N 35 W 20 W. dist. 8

a W. Oak 10 " " " S 50 E 14 " "

Sand 2^d rate rolling. Ash, Oak, Hickory

T. 21 N., R. 7 E., 2^d Mer. Ind.?

Ch. Sp.

East on Random between Sec. 11 & 14

40.00 set temp. gr. sec. post

78.00 at Brook 15 Ws. wide course S.

79.50 Intersect N. & S. line at post -

Land level sweet. Timber Beech, Ash, Oak

West Corrected between Sec. 11 & 14

39.75 set gr. sec. post at aver. dist. from which

a W. Elm 20 in. dia. bears N 78° W 22 Ws. dist. 8,

a Do 13 " " " S 20° E 14 " "

79.50 to sec. cor.

North between Sec. 10 & 11

40.00 set gr. sec. post from which

a W. Oak 20 in. dia. bears S 38° W 10 Ws. dist. 8,

a Beech 10 " " " S 20° E 17 " "

48.50 a Brook 10 Ws. wide course SW

58.00 a Do 10 " " " E

79.50 a Do 10 " " " SW

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which

a Beech 30 in. dia. bears N 65° W 40 Ws. dist. 8

a Sugar 20 " " " N 55° E 37 " "

Land 2^d rate rolling. Timber Ash, Sugar, Beech

East on Random between Sec. 2 & 11

40.00 set temp. gr. sec. post

79.50 Intersect N. & S. line 20 Ws. N. of post -

Land level 2^d rate. Ash, Oak, Sugar, Spruce

West Corrected between Sec. 2 & 11

39.75 set gr. sec. post at aver. dist. from which

a Beech 15 in. dia. bears N 61° E 23 Ws. dist. 8,

a Poplar 10 " " " S 30° E 34 " "

79.50 to sec. cor.

North between Sec. 2 & 3

147

T. 21 N., R. 7 E. 2^d Mer. Ind.

40.00 set q. sec. post from which
 a Beech 12 in. dia. bears N48 E 11 Ws. dist. 2
 a Do 12 " " " N80 W 24 " "
 78.50 Intersect N. Boundary 250 Ws. E. of post -
 set post cor. of sec. 24 & 3 at intersection from which
 a Beech 10 in. dia. bears S62 E 64 Ws. dist. 2
 a Do 15 " " " S30 W 80 " "
 Land level 2^d rate. Oak, Ash, Sugar. Spice

North between Sec. 33 & 34

40.00 set q. sec. post from which
 a Beech 16 in. dia. bears N20 E 25 Ws. dist. 2
 a Do 10 " " " N29 W 4 " "
 80.00 set post cor. of sec. 27, 28, 33 & 34 from which
 a Beech 15 in. dia. bears S70 E 14 Ws. dist. 2
 a Buckeye 4 " " " S69 W 23 " "
 Land level 2^d rate. Beech, Ash, Oak. Spice

East in Random between Sec. 27 & 34

40.00 set temp. q. sec. post
 40.50 a Spring, course N.
 64.50 a Stream 25 Ws. wide course NN
 80.50 Intersect N. & S. line 40 Ws. N. of post -
 Land level 2^d rate. Beech, Sugar, Ash. Spice

West Corrected between Sec. 27 & 34

40.25 set q. sec. post at aver. dist. from which
 a Beech 23 in. dia. bears N17 W 30 Ws. dist. 2
 a Do 10 " " " S1 E 23 " "
 80.50 to sec. cor.

North between Sec. 27 & 28

17.50 a Stream 30 Ws. wide course W.
 40.00 set q. sec. post from which
 a Beech 20 in. dia. bears S40 W 30 Ws. dist. 2
 a Ironwood 5 " " " S25 E 12 " "

T. 21 N., R. 7 E. S. 1 Mer. Ind.^a

Ch. Lk.

80.00 set post cor. of sec. 21, 22, 27 & 28 from which
 a Sugar 16 in. dia. bears S 5 E 22 W. dist. 8
 an Ash 20 " " " S 53 W 47 " "
 Land rolling 2^d rate. Ash, Oak, Sugar

East on Random between Sec. 22 & 27

40.00 set temp. of sec. post

80.00 Intersect N. S. line 100 W. S. of post -
 Land level 2^d rate. Beech, Ash, Oak, Spice

West Corrected between Sec. 22 & 27

40.00 set of sec. post at aver. dist. from which
 an Ash 18 in. dia. bears S 20 W 41 W. dist. 8
 an Oak 15 " " " N 20 W 50 " "

80.00 to sec. cor.

North between Sec. 21 & 22

35.00 a creek 50 W. wide course NW

40.00 set of sec. post from which
 a P. Elm 8 in. dia. bears N 25 W 11 W. dist. 8
 a Buckeye 6 " " " N 50 E 38 " "

74.00 a stream 25 W. wide course NW

80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Sugar 30 in. dia. bears S 28 W 21 W. dist. 8
 a Beech 15 " " " N 85 E 42 " "
 Land 1st rate rolling. Beech, Sugar, Ash, Pawpaw

East on Random between Sec. 15 & 22

16.50 a stream 15 W. wide course SW

40.00 set temp. of sec. post

45.00 a stream 70 W. wide course SW

81.40 Intersect N. S. line at post -

Land rolling 2^d rate. Sugar, Oak & Ash. Spice

West Corrected between Sec. 15 & 22

40.70 set of sec. post at aver. dist. from which

Ch. Lk. T. 21 N., R. 7 E. 2. Mer. Ind. a

an Elm 23 in. dia. bears N 68 W 50 Yds. dist. S
a Beech 13 " " " S 85 W 47 " "
81.40 to sec. cor.

North between Sec. 15 & 16

40.00 set q. sec. post from which
a Beech 30 in. dia. bears N 41 W 8 Yds. dist. S
a Hickory 18 " " " S 13 W 32 " "
80.00 set post cor. of sec. 9, 10, 15 & 16 from which
a Beech 20 in. dia. bears S 38 E 16 Yds. dist. S
an Ash 15 " " " S 75 W 36 " "
Sand rolling L. rate. Ash, Sugar, Oak. Spice

East on Random between Sec. 10 & 15

40.00 set temp. q. sec. post
65.00 a Stream 15 Yds. wide crosses S.
81.00 Intersect N & S line at post -
Sand level L. rate. Ash, Oak, Sugar. P. Ash

West Connected between Sec. 10 & 15

40.50 set q. sec. post at aver. dist. from which
a B. Walnut 20 in. dia. bears N 30 E 27 Yds. dist. S
a Beech 10 " " " S 55 E 26 " "
81.00 to sec. cor.

North between Sec. 9 & 10

40.00 set q. sec. post from which
a W. Oak 18 in. dia. bears N 30 E 44 Yds. dist. S
a Buckeye 13 " " " N 40 W 42 " "
80.00 set post cor. of sec. 3 & 4, 9 & 10 from which
a Sugar 20 in. dia. bears N 25 W 44 Yds. dist. S
a Beech 10 " " " N 55 E 56 " "
Sand level L. rate. Ash, Oak, Hickory. Spice

East on Random between Sec. 3 & 10

40.00 set temp. q. sec. post.

T. 21 N., R. 7 E. 2. Mer. Ind. a

Ch. 10.

40.50 a Brook 10 Mts. wide course S.

80.00 Intersect N. G. line at part -

Land rolling 2 rate. Beech, Sugar, Ash, Spice

West Connected between Sec. 3 & 10

40.00 set q. sec. part at aver. dist. from which

a Buckeye 10 in. dia. bears S 40° W 3 Mts. dist. 8

a Hickory 10 " " " N 38° W 13 " "

80.00 to sec. cor.

North between Sec. 3 & 4

40.00 set q. sec. part from which

an Ash 15 in. dia. bears N 24° E 21 Mts. dist. 8

a Poplar 18 " " " N 15° W 41 " "

80.00 Intersect N. Boundary 300 Mts. E. of part -

set part at intersection cor. of sec. 3 & 4 from which

a Beech 10 in. dia. bears S 10° W 40 Mts. dist. 8

a Hickory 15 " " " S 45° E 44 " "

Land level 2 rate. Limber Ash, Oak, Hickory.
Wyr. Pickley Ash & Spice

North between Sec. 32 & 33

40.00 set q. sec. part from which

a Beech 18 in. dia. bears S 10° W 4 Mts. dist. 8

a Sugar 8 " " " N 20° E 3 " "

80.00 set part cor. of sec. 28, 29, 32 & 33 from which

a B. Walnut 18 in. dia. bears N 70° W 35 Mts. dist. 8

a Beech 13 " " " N 75° E 50 " "

Land rolling 2 rate. Ash, Oak, Sugar, Spice

East on Random between Sec. 28 & 33

40.00 set temp. q. sec. part

65.00 a Stream 10 Mts. wide course N.

80.00 Intersect N. G. line at part -

Land rolling 2 rate. Beech, Sugar, Ash, Spice

T. 21 N., R. 7 E. 2. Mer. Ind.^a
 Chas. L. H.

West Connected between Sec. 28 & 33

40.00 set of sec. post at aver. dist. from which
 a Beech 10 in. dia. bears S 30 E 11 W. dist. 8
 a B. Walnut 40 " " " N 60 E 25 " "

80.00 to sec. cor.

North between Sec. 28 & 29

0.00 a creek 75 W. wide course W.

40.00 set of sec. post from which
 a Buckeye 18 in. dia. bears N 88 W 27 W. dist. 8
 a Do 11 " " " N 51 E 25 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 an Ironwood 8 in. dia. bears S 11 W 55 W. dist. 8
 a Hawth 6 " " " S 20 E 40 " "
 Land T. rate colling. Ash, Sugar, Walnut, Spice

East on Ransom between Sec. 21 & 28

19.00 a creek 75 W. wide course S

40.00 set temp. of sec. post

80.75 Intersect N. S. line 75 W. S. of post —
 Land level T. rate. Timber Ash, Sugar, Walnut
 Upr. Spice & Pawpaw

West Connected between Sec. 21 & 28

40.37 set of sec. post at aver. dist. from which
 a Blue Ash 24 in. dia. bears N 45 W 50 W. dist. 8
 a Buckeye 18 " " " S 85 W 27 " "

80.75 to sec. cor.

North between Sec. 20 & 21

15.00 a Stream 75 W. wide course E.

30.00 a Do 75 " " " W.

40.00 set of sec. post from which
 an Ironwood 6 in. dia. bears N 35 W 13 W. dist. 8
 a Sugar 20 " " " N 50 E 45 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

Ch. Lk. T. 21 N., R. 7 E. T. Mer. Ind.

a Beech 12 in. diam. bears N 57° W 23 Ws. dist. 8
 a Do 13 " " " S 57° E 16 " "
 Sand rolling 2^d rate. Beech, Sugar, Ash, Spice

East on Random between Sec. 10 & 21

11.50 a Brook 5 Ws. wide course S.

40.00 set temp. gr. sec. post

58.00 a Spring brook 5 Ws. wide course S.

80.75 Intersect N. & S. line 50 Ws. N. of post -

Sand rolling 2^d rate. Beech, Ash, Oak, Spice

West Corrected between Sec. 10 & 21

40.37 set gr. sec. post at aver. dist. from which
 an Elm 15 in. diam. bears S 1° E 8 Ws. dist. 8
 a Beech 13 " " " N 17° W 39 " "

80.75 to sec. cor.

North between Sec. 10 & 17

40.00 set gr. sec. post from which

a Sugar 15 in. diam. bears S 83° W 20 Ws. dist. 8

a Walnut 6 " " " S 80° E 30 " "

80.00 set post cor. of Sec. 8, 9, 10 & 17 from which

a Bur Oak 12 in. diam. bears N 25° W 11 Ws. dist. 8

a R. Oak 6 " " " N 35° E 31 " "

Sand level & wet. Ash, Elm, Hickory, Spice

East on Random between Sec. 9 & 10

40.00 set temp. gr. sec. post

80.50 Intersect N. & S. line 100 Ws. N. of post -

Sand level & wet. Beech, Ash, Oak

West Corrected between Sec. 9 & 10

40.25 set gr. sec. post at aver. dist. from which

a W. Oak 20 in. diam. bears N 80° E 30 Ws. dist. 8

a Do 21 " " " S 83° E 44 " "

80.50 to sec. cor.

T.M.N. R. 7 E. 2. Mer. Ind?

Chas. Sp.

North between Sec. 8 & 9

40.00 set gp. sec. post from which

a H. Elm 20 in. dia. bears N 70° W 15 W. dist. 8

a Sugar 13 " " S 32° E 23 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Hickory 18 in. dia. bears N 12° W 21 W. dist. 8

a Do 18 " " " N 76° E 29 " "

Land level & wet. Timber Ash & Elm

East in Random between Sec. 4 & 9

40.00 set temp. gp. sec. post

80.00 Intersect N.E. line 50 W. S. of post -

Land level & wet. Timber Ash, Oak, Hickory

West corrected between Sec. 4 & 9

40.00 set gp. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 35° E 8 W. dist. 8

a Do 15 " " " N 33° E 25 " "

80.00 to sec. cor.

North between Sec. 4 & 5

40.00 set gp. sec. post from which

a Beech 15 in. dia. bears N 30° W 5 W. dist. 8

an Ironwood 6 " " " N 86° E 21 " "

78.50 Intersect N. Boundary 300 W. E. of post -

set post at intersection cor. of sec. 4 & 5 from wh.

an Ash 8 in. dia. bears S 30° E 25 W. dist. 8

a Lym 10 " " " S 45° W 26 " "

Land level & wet. Timber Beech, Ash, Oak
W. Pickly Ash & Spice

North between Sec. 31 & 32

40.00 set gp. sec. post from which

a Sugar 18 in. dia. bears S 40° W 12 W. dist. 8

a Beech 10 " " " S 70° E 25 " "

41.50 a creek 75 W. wide course W.

T. 21 N., R. 7 E., S. 1 Mer. Ind. a
Chr. Lk.

80.00 set post cor. of sec. 29, 30, 31 & 32 from which
a Beech 18 in. dia. bears N 73 E 30 Ms. dist. 8
a Sugar 25 " " " N 41 W 37 " "
Land rolling S rate, Beech, Sugar, Ash, Spice

East in Random between Sec. 29 & 32

40.00 set temp. gr. sec. post
51.50 a creek 70 Ms. wide curve S.
80.00 Intersect N & S line 50 Ms. S. of post -
Land level S rate, Timber Ash, Oak, Walnut
Upr. Pickley Ash & Spice

West Connected between Sec. 29 & 32

40.00 set gr. sec. post at aver. dist. from which
a Buckeye 10 in. dia. bears S 20 W 3 Ms. dist. 8
a Do 8 " " " N 63 E 15 " "
80.00 to sec. cor.

West between Sec. 30 & 31

3.50 a Brook 10 Ms. wide curve S.
40.00 set gr. sec. post from which
a Sugar 24 in. dia. bears N 10 W 21 Ms. dist. 8
a Beech 15 " " " S 50 E 28 " "
70.00 enter thicket
82.66 Intersect N. Boundary 5 Ms. S. of post -
set post at intersection cor. of sec. 30 & 31 from
wh. a Willow 5 in. dia. bears S 22 E 12 Ms. dist. 8
a W. Elm 4 " " " N 65 E 7 " "
Land S rate, East half rolling, West half
level, Timber Ash, Oak, Sugar, Upr. Spice

North between Sec. 29 & 30

40.00 set gr. sec. post from which
a Sugar 30 in. dia. bears N 53 E 31 Ms. dist. 8
a Beech 20 " " " West 47 " "
80.00 set post cor. of sec. 19, 20, 29 & 30 from which

T. 21 N., R. 7 E. 2^d Mer. Ind.^a
Ch. 2^d M.

a Beech 13 in. dia. bears N 21 E 50 W. dist. 8
 a Do 12 " " " N 25 W 12 " "
 Sand rolling 2^d rate. Ash, Beech, Hickory

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

80.00 Intersect N. S. line 25 W. N. of post —
 Sand rolling 2^d rate. Limber Ash, Hickory,
 Oak. W. Spice

West Connected between Sec. 20 & 29

40.00 set of sec. post at aver. dist. from which
 a Hickory 21 in. dia. bears N 28 E 10 W. dist. 8
 a B. Ash 24 " " " N 50 W 6 " "
 80.00 to sec. cor.

West between Sec. 19 & 30

40.00 set of sec. post from which
 a Beech 30 in. dia. bears N 54 W 31 W. dist. 8
 a Do 13 " " " S 61 W 44 " "
 82.00 Intersect W. Boundary 50 W. S. of post —
 set post at intersection cor. of sec. 19 & 30 from
 wh. a Beech 12 in. dia. bears N 65 E 22 W. dist. 8
 a Buckeye 10 " " " S 20 E 22 " "
 Sand level & wet. Ash, Oak, Elm, Spice

North between Sec. 19 & 20

40.00 set of sec. post from which
 an Ash 20 in. dia. bears N 10 W 55 W. dist. 8
 a Beech 10 " " " N 5 E 44 " "
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Beech 20 in. dia. bears S 62 W 25 W. dist. 8
 a Do 18 " " " S 54 E 20 " "
 Sand level & wet. Ash, Oak, Hickory. Spice

East on Random between Sec. 17 & 20

T. 21 N., R. 7 E., 2^d Mer. Ind.^a
Ch. 1st

40.00 set temp. gr. sec. post

80.50 Intersect N&S. line 25 Ws. N. of post —
 Sand level 2nd rate. Beech, Sugar, Ash, Spice

West Corrected between Sec. 17 & 20

40.25 set gr. sec. post at aver. dist. from which
 a Beech 20 in. dia. bears N 38° W 15 Ws. dist. 8
 a Do 10 " " " S 10° E 12 " "

80.50 to sec. cor.

West between Sec. 18 & 19

20.00 enter Swamp

31.00 leave "

40.00 set gr. sec. post from which
 an Ironwood 4 in. dia. bears S 40° W 8 Ws. dist. 8
 a W. Oak 15 " " " N 53° W 44 " "

82.50 Intersect W. Boundary 03 Ws. S. of post —
 set post at intersection cor. of sec. 18 & 19 from which
 a Sap. Ash 20 in. dia. bears N 13° E 34 Ws. dist. 8
 a Bur Oak 15 " " " S 49° W 20 " "
 Sand level sweet. Timber Oak, Ash, Elm.

North between Sec. 17 & 18

40.00 set gr. sec. post from which
 an Ash 6 in. dia. bears N 70° W 4 Ws. dist. 8
 a Bur Oak 20 " " " N 40° E 23 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
 a W. Oak 30 in. dia. bears S 23° W 37 Ws. dist. 8
 a Do 15 " " " S 60° E 15 " "
 Sand level sweet. Timber Oak, Ash, Hickory
 W. Pickly Ash & Spice

East in Random between Sec. 8 & 17

40.00 set temp. gr. sec. post

80.00 Intersect N&S. line at post —
 Sand level sweet. Oak, Ash, Elm & Spice

Ch. Sp. T. 21 N., R. 7 E., 2^d Mer. Indⁿ

West Connected between Sec. 8 & 17

40.00 set of sec. post at aver. dist from which
a Hickory 10 in. diam bears S 82° W 48 Ws. dist. 8
a W. Elm 10 " " " N 70° W 60 " "
80.00 to sec. cor.

West between Sec. 7 & 18

40.00 set of sec. post from which
a Bur Oak 12 in. diam bears N 65° E 42 Ws. dist. 8
an Ash 6 " " " N 12° E " "
82.10 Intersect W. Boundary 40 Ws. N. of post -
set post at intersection cor. of sec. 7 & 18 from which
a W. Beech 6 in. diam bears N 15° E 55 Ws. dist. 8
a W. Elm 12 " " " S 40° E 60 " "
Land level wet. Timber Oak, Hickory, Beech
Upr. Prickly Ash & Spice

North between Sec. 7 & 8

40.00 set of sec. post from which
a Beech 8 in. diam bears S 27° E 5 Ws. dist. 8
an Ash 10 " " " S 11° W 21 " "
80.00 set post cor. of sec. 5, 6, 7 & 8 from which
a Hickory 20 in. diam bears N 33° E 5 Ws. dist. 8
a Do 12 " " " N 60° W 32 " "
Land level wet. Oak, Ash, Elm. Spice

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post
80.50 Intersect N & S line 40 Ws. N. of post -
Land level wet. Oak, Ash, Elm. Spice

West Connected between Sec. 5 & 8

40.25 set of sec. post at aver. dist. from which
a Beech 15 in. diam bears N 58° E 30 Ws. dist. 8
a Sugar 8 " " " S 30° E 23 " "
80.50 to sec. cor.

T. 21 N., R. 7 E. 2^d Mer. Ind.^a
 Ch. 10.

West between Sec. 6 & 7

40.00 set of sec. post from which
 a Sap. Ash 10 in. diam bears N 44 W 9 W. dist 2
 a Do 6 " " " S 38 W 10 " "

82.20 Intersect N. Boundary 175 W. N. of post
 set post at intersection cor. of sec. 6 & 7 from wh.
 a Beech 10 in. diam bears N 70 E 15 W. dist 2
 a Do 6 " " " S 23 E 15 " "
 Sand level sweet, Beech, Ash, Oak, Spice

North between Sec. 5 & 6

40.00 set of sec. post from which
 a P. Oak 30 in. diam bears S 85 W 12 W. dist 2
 a Hickory 13 " " " N 85 E 17 " "

79.38 Intersect N. Boundary 200 W. E. of post
 set post at intersection cor. of sec. 5 & 6 from wh.
 a Bur Oak 30 in. diam bears S 48 E 15 W. dist 2
 a Hickory 15 " " " S 50 W 37 " "
 Sand level sweet, Ash, Oak, Cottonwood, Spice
 Surveyed in 1824 by James Worthington
 Deputy Surveyor.

I certify that the foregoing transcript of
 Field Notes of the survey of Township N. 21
 North, of Range N. 7 East of the 2^d Princip-
 al Meridian, in the State of Indiana, has
 been compared with the original on file
 in this office, and found to be correct.
 Surveyor General's Office,
 Cincinnati, March 4, 1845

William Johnston
 Sur. Genl